

Methods of sampling and test for

Carbonaceous materials used in aluminium manufacture —

Part 1: Electrode pitch —

Section 1.5 Determination of content of quinoline-insoluble material

[ISO title: Carbonaceous materials for the production of
aluminium — Pitch for electrodes — Determination of content of
quinoline-insoluble material]

UDC 665.775:669.713.7:543.868

Cooperating organizations

The Chemicals Standards Committee, under whose direction this British Standard was prepared, consists of representatives from the following:

- Association of Fatty Acid Distillers
- British Tar Industry Association*
- Chemical Industries Association
- Consumer Standards Advisory Committee of BSI
- Department of Health and Social Security
- Department of Industry (Laboratory of the Government Chemist)
- Fertiliser Manufacturers' Association Ltd.
- Ministry of Agriculture, Fisheries and Food
- Ministry of Defence
- National Sulphuric Acid Association
- Paintmakers' Association of Great Britain Ltd.
- Royal Institute of Public Health and Hygiene
- Royal Society of Chemistry
- Soap and Detergent Industry Association
- Standardization of Tar Products Tests Committee*

The organizations marked with an asterisk in the above list, together with the following, were directly represented on the Technical Committee entrusted with the preparation of this British Standard:

- Aluminium Federation
- British Ceramic Research Association
- Institute of Petroleum

This British Standard, having been prepared under the direction of the Chemicals Standards Committee, was published under the authority of the Board of BSI and comes into effect on 31 May 1983

© BSI 10-1999

The following BSI references relate to the work on this standard:
Committee reference CIC/24
Draft for comment 80/50463 DC

ISBN 0 580 11910 6

Amendments issued since publication

Amd. No.	Date of issue	Comments