
**Information technology — Protocol for
providing the connectionless-mode
network service: Provision of the
underlying service by an X.25 subnetwork**

*Technologies de l'information — Protocole de fourniture du service de
réseau en mode sans connexion: Fourniture du service sous-jacent par un
sous-réseau X.25*

Contents

	<i>Page</i>
1 Scope	1
2 Normative references	1
2.1 Identical Recommendations International Standards	1
2.2 Paired Recommendations International Standards identical in technical content	1
2.3 Additional references	1
3 Definitions	2
3.1 Reference model definitions	2
3.2 Network layer architecture definitions	2
3.3 Network layer addressing definitions	2
3.4 X.25 definitions	2
4 Abbreviations	2
5 Subnetwork dependent convergence function	3
5.1 General model	3
5.2 Subnetwork user data	3
5.3 Subnetwork dependent convergence functions used with X.25 subnetworks	3
Annex A – PICS proforma	7
A.1 Introduction	7
A.2 Abbreviations and special symbols	7
A.3 Instructions for completing the PICS proforma	7
A.4 Identification	9
A.5 Subnetwork dependent convergence functions for use with X.25 subnetworks	10

© ISO/IEC 1995

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland